Order form:



ScanAlp - moulded seating system For internal use only For internal use only Quotation No.: Order No.: Invoice No.: This carved Seat insert offers an accurately fitting seat with a high level of comfort and safety. Generally it is used for the moderate to severely affected clients. It is available as a one-piece or as a two-piece seat. Please state which is required. It may also be supplied with a summer/winter spacer if required. **Delivery and Invoice address:** Date: Company: Address: Contact Person: Date signed Tel. No.: Quote approx. fitting/ delivery date: Cast (Scan) 1. Fitting 2. Fitting Delivery

Purchase Order

Based on the provisions of Regulation (EU) 2017/745 (MDR) it is intended to harmonise the laws relating to medical devices within the European Union. It is necessary to complete the following:

Order					
Approved		yes		no	
Manufacture immediately		yes		no	
We require an offer/quote		yes		no	
Fitting/delivery by McLean GmbH		yes		no	
Signature:					
Therapist/ Contact pe	rsol	n			
Name/Position:					
Institute:					
Address:					

Tel./ Fax:

Commission					
First/ Surname:					
Date of birth:					
Address:					
Postal code/ Town:					
Tel./ Fax:					
Medical condition:					
Diagram annual at a					

7 (44) 6551						
Postal code/ Town:						
Tel./ Fax:						
Medical co	Medical condition:					
Please com	plete ing Person/ Do	octor				
Name:						
Tel.:	Town:					
□NHS	□ Private	□ Other				
1						

Service charges for McLean GmbH,	ScanAlp - Moulded Seating Insert			
 □ E 10101 Original cast (incl. All expenses) □ E 10102 Follow-up casting □ E 10400 (h) Price per hour on site □ E 10401 (h) Price per hour mechanic 	 □ E 10202 Scanning of the cast (incl. Modification and processing of data) □ E 10410 First fitting □ E 10500 Trimming of the alu frame 			
Extras (N	let Price)			
 □ E 11010 Intergrated headrest □ E 11014 Provisional cover □ E 11050 Incontinence coating (complete) □ E 11055 Incontinence coating (seat only) □ E 11017 Cover for intergrated headrest □ E 11019 Belt sleeve (pair) 	 □ E 11100=1 Mattress < 1 m □ E 11100=2 Mattress 1 m - 1,40 m □ E 11100=3 Mattress > 1,41 m □ E 11115=1 Cover for mattress < 1 m □ E 11115=2 Cover for mattress 1 m - 1,40 m □ E 11115=3 Cover for mattress > 1,41 m 			
In accordance with the general terms and co	nditions we would like to order the following:			
 □ E 11700 ScanAlp – Individuale seating system made from a vacuum cast. Moulded seat without frame □ E 11700=S ScanAlp, moulded seat without frame □ Dne-piece □ E 11700=R ScanAlp, moulded back without frame □ Two-piece □ E 11760 Summer/ Winter spacer 				
Aluminiu	m frames			
strengthened, 3 mm Colour Delivery black anthrazit Deliver for Deliver late	et			
Seating	g cover			
Fabric □ Art. No (see our fabric catalogue!) □ E 11517=R Cover for complex formed back □ E 11517=S Cover for complex formed seat □ E 11015 SW Set of 2 replacement covers □ E 11016 Sleeves for belt				
Lateral supp	port bracket			
☐ right ☐ E 17200 Swing-away bracket, straight ☐ E 17210 Detachable bracket, width adjustable ☐ E 17301 Swing-away bracket, width adjustable ☐ E 17310 Width and height adjustable incl. assembly ☐ E 17201/ E 17311 Assembly	☐ left ☐ 130 mm ☐ 200 mm ☐ small ☐ large ☐ size 1 ☐ size 2 7215 Cover			
Abduction b	lock bracket			
☐ E 17100 Swing-down bracket ☐ E 17110 Plug-fit, screwable (insertion horizontal)	☐ E 17101 incl. Assembly and cover			
 □ E 17120 Bracket with angle (insertion vertical) □ E 17125 Slip-on bracket, with angle (insertion horizon E 17130 Swing-down bracket, mini 	\Box D 17131 incl. Assembly and cover ontal)			

	Headrest (hardware))			
Headrest	•	-	Hardwa	are		
 □ E 13100=1 Combi □ E 13600=1 Standard, small □ E 13300 Lateral, narrow □ E 13600=2 Standard, large □ E 13500=1 Vario, small □ E 13900 Individual headrest □ E 13500=2 Vario, large □ E 13900=1 Individual (complex) Charge No. □ E 13008 Padded, size 1 □ E 13009 Padded, size 2 				 □ E 13010 straight (incl. accessories) □ E 13011 offset (incl. accessories) □ E 13013=1 Mounting kit, mini 10 mm □ E 13013=2 Mounting kit, 15 mm □ D 13016 straight, cross adjustment □ D 13017 offset, cross adjustment Charge No. 		
☐ E 13015 Headrest cover ☐ Customis	ed version acco	Taing to sket	CTI			
		straps				
☐ E 15300 Chestshoulder harness ☐ E	15302 strength	ened	C	Charge No.		
 □ 0 mini □ 1 small □ 2 medium □ 3 large □ 4 extra large 			□ R=2 I □ R=3 I	small, with medium, w arge, with extra large,	ith zip zip	
 □ E 15301 W=2 medium, female □ E 15301 RW=2 medium, female, with □ E 15301 W=3 large, female □ E 15301 RW=3 large, female, with zip 	•					
□ E 15310 Shoulder retraction pad□ E 15350 Dynamic Thoracic belt	□ L □ size	□ R e 1 □ si		□ R+L □ size 3		
☐ E 15304 Dynamic Thoracic H-Belt	□ size	e 0 🗆 siz	ze 1	☐ size 2	□ size 3	
☐ E 12018 Belt elevation guide						
☐ E 13002 Cross bar belt guide ☐ bla	ack, 300 mm	□ Stainless s	teel, 300 r	mm 🗆 Sta	ainless steel, 380 mm	
	Armrest (hardware)				
Armrests (pair) ☐ E 14100 rounded ☐ E 14101 rounded, mini ☐ E 14200 flat ☐ E 14210 flat, channel form ☐ E 14250 flat, narrow ☐ E 14300 Anatomic, with intergrated h	Charge No. and pad	□ small	□ large	□ ri <u>c</u>	Jht □ left	
□ E 14015 Armrest cover□ Customised version according to sket	ch □ E 1 4 40:	1 🗆 E	1 4 402 🗆		□ E 1 4 403 □ R	
Gel Armrests (pair) ☐ E 22100 Gel armrest ☐ E 22200 Gel armrest, narrow ☐ E 22010 Mounting rail	□ size 1□ size 0□ 215 mm	□ size 2□ size 1□ 300 mm	□ size 2	L 2		
Armrest hardware (pair) ☐ E 14010 Plate ☐ E 14011 flat, withaccessories ☐ E 14020 T-Mounting			_	-	oned joint, right oned joint, left	
☐ E 14030=300 Armrest bracket, coned ☐ E 14070=300 Armrest bracket, coned	•	-	•	□ left □ left	Charge No.	


Pelvic retraction pads								
☐ size 1 (SB 2 ☐ size 2 (SB 3	•		Charg	je No.				
		Pelvic l	harnes	SS .				
☐ E 15500 Pelvic h	arness □ size 1	□ size 2	□ size	3	□ size 4	□ size	5	□ size 6
Charge No.								
_	arness, T-Model	□ size 1	□ size	. 2	□ size 3			
	arriess, r-Moder		⊔ 312C	. 2				
Charge No.								
☐ E 15502 Pelvic h	arness, combi, T-Mod	lel	□ size	1	☐ size 2	☐ size	3	
Charge No.								
☐ Customised versi	ion according to sketo	ch						
		Lap be	elts		С	harge-N	lo.	
□ E 15100		□ = 40 mm		ap belt	t with metal	buckle		
□ E 15400	□ = 40		L	ap belt	t with plastic	buckle		
		□ = 50 mm						
□ E 15410	□ = 25 mm	□ = 40 mm		Neopre	ne Lap belt			
	□ = 30 mm	□ = 50 mm						
□ E 15411	□ = 25 mm	□ = 40 mm	r	Neoprei	ne Lap belt v	vith banda	alier	
□ E 1E412	□ = 30 mm	□ = 50 mm		laanua		uith matal	l buski	
□ E 15412	□ = 25 mm □ = 30 mm	□ = 48 mm	'	veoprei	ne Lap belt v	vitti metai	Ducki	е
□ E 15420	□ = 25 mm	□ = 40 mm	N	Jeonrei	ne I an helt v	with 2 nlag	stic hu	ckles
L 13420	□ = 30 mm	□ = 50 mm		Neoprene Lap belt with 2 plastic buckles			CRICS	
□ E 15421	□ = 25 mm	□ = 40 mm	١	Neoprene Lap belt with 2 plastic buckles and bandalier			ckles and	
-	□ = 30 mm	□ = 50 mm	t					
□ E 15422		□ = 40 mm	١	Neoprene Lap belt with plastic buckle, bandalie			de, bandalier	
	□ = 30 mm	□ = 50 mm		and one side pull				
□ E 15440	□ = 25 mm	□ = 40 mm		4 – point Neoprene Lap belt				
	□ = 30 mm	□ = 50 mm						
□ E 15441	□ = 25 mm	□ = 40 mm		4 – point Neoprene Lap belt with bandalier			andalier	
☐ Customised vers	$\square = 30 \text{ mm}$ ion according to sketo	□ = 50 mm						
Custoffised vers	ion according to skett	JII						
		•		-	_			
□ E 41400 Naannan	a Ankla Ctrana	Neoprene A		otraps	Charge No			
☐ E 41400 Neoprend strengthened	е ликіе эпару,	$\Box = 1 \text{ small}$ $\Box = 2 \text{ media}$			Charge 140	' -		
$\Box = 3 \text{ large}$			<u> </u>					
F	ootplates				Footni	ates, Al	umin	ium
☐ E 41100 with str		6 cm		□ E 4	1210 with s			= 20 x 7 cm
☐ E 41200 without	•				1220 withou			= 26 x 9 cm
☐ 3=22 x 8 cm						· .		30 x 12 cm

Charge No.


□ 3=22 x 8 cm ☐ 4= 24 x 9 cm

Charge No.

Foot-,	/ Lower leg support	orthosis	
(Measurements in cm; width x height x depth)			
\square E 42100 Moulded blank, separated	☐ small (20x33x	25) 🗆 large (20x4	14x34) □ left □ right
\square E 42101 Moulded blank, one-piece, left	t+ right□ small (45x33x	(25) □ large (45x4	l4x34)
\square E 42110 custom made, separated	□ small (20x33x	(25) □ large (20x4	14x34) □ left □ right
☐ E 42111 custom made, wooden plate of sheet metal, left+right	or □ small (45x33x	(25) □ large (45x4	14x34)
□ E 42015 Cover□ E 42015 D Cover, left+right	□ small □ small	□ large □ large	□ left □ right
	Flexi Footshells		
☐ E 41250 Flexi Footshells	☐ = 1 small ☐ = 2 medium ☐ = 3 large	Charge No.	
	Neopren Wrist straj	os	
☐ E 41800 Neopren-Wrist straps, strengthened	☐ = 1 small ☐ = 2 medium ☐ = 3 large	Charge No.	
	Therapeutic Tray	·	
□ = 2	,	18200 Therapeut crolon	ic tray, $\square = 1$ small $\square = 2$ medium $\square = 3$ large
 □ E 18010 Hardware for tray, swing-away □ D 18020 Hardware for tray, rounded, sw □ D 18030 Hardware for tray, slide-on □ D 18050 Theapeutic tray padding □ Customised version according to sketch 	ving-away	☐ E 18300 Therap makrolon, slide-or	·
	Space for sketches	5	



	actual	reqd.		actual	reqd.		actual	reqd.
A= Seat width			F= Height seat-armpit			K= Foot length		
B= Chest width			G= Height seat-shoulder			L= Depth of chest		
C= Seat depth			H= Height seat-top of head			Seat-back-angle		
D= Shoulder width			I= Lower leg length			Knee angle		
E= Armrest height			J= Width of system			Chest circumference		



The following changes should be made (Date/Name)/	de after the trial fitting from:
Back height (+/- cm):	
Seat depth left (+/- cm):	
Seat depth right (+/- cm):	
Chest width (+/- cm):	
Thigh guide left (+/- cm):	
Thigh guide right (+/- cm):	
Armpit height left (+/- cm):	
Armpit height right (+/- cm):	
Lateral support left (+/- cm):	
Lateral support right (+/- cm):	
Which accessories should be mounted fo	r the next fitting:
Seat-back-angle:	
Spac	e for your notes
<u> </u>	