

Order form: RIVA 2026 Custom-Made Seating System

version: 01.2026



For internal use only

Quotation no.:

Invoice no.:

For internal use only

Order no.:

For internal use only

Intern – Versand bis:

This individually measured seating system provides an optimal fit to the user's body shape. It is suitable for users with mild skeletal deformities or hypotonia requiring stable lateral support. The design prioritises mobility while providing effective postural support.

The complete package includes a seating system blank, custom-made aluminium frame, aluminium frame or sheet, two securing straps, a jersey fitting cover, an incontinence-resistant seat cushion coating, and a removable, washable cover for the seat and backrest.

Please note:

Please cross out any fields that are not required in their entirety.

* = Mandatory field required for processing

Delivery and Invoice address:

*Date:

*Company:

*Address:

*Contact Person:

*Phone:

*E-Mail:

Your order no.:

Approx. Fitting/ delivery date:



	Date	signed
Quotation		
Measurements taken		
1. Fitting		
2. Fitting		
Delivery		

Purchase Order

Based on the provisions of Regulation (EU) 2017/745 (MDR) it is intended to harmonise the laws relating to medical devices within the European Union. It is necessary to complete the following:

Order				
*Approved	☐	yes	☐	no
*Manufacture immediately	☐	yes	☐	no
*We require an offer	☐	yes	☐	no
Fitting/ delivery by McLean GmbH)	☐	yes	☐	no
Signature				

Therapist/ Contact person
Name/Position:
Institute:
Address:
Tel./ Fax:

Commission
*First/ Surname:
Date of birth:
Address:
Postal code/ Town:
Tel.:
Medical condition:

Please complete

Prescribing Person/ Doctor

Name:

Tel.:

Town:

☐ NHS

☐ Private

☐ Other

Service charges for McLean GmbH/ RIVA – Seating System

- | | |
|---|--|
| ☐ E 10103 Assessment / Measurement (incl. service charges) | ☐ E 10410 First fitting |
| ☐ E 10400 (h) Price per hour on site | ☐ E 10500 Trimming of the alu frame |
| ☐ E 10401 (h) Price per hour mechanic | |
| ☐ Assembly on wheelchair | |

Extras

- | | |
|---|---|
| ☐ E 11014 Provisional cover | ☐ E 11019 Belt sleeve (p. piece) |
| ☐ E 11014F Provisional cover Frottee | Quantity: _____ |
| ☐ E 11050 Incontinence coating (complete) | |
| ☐ E 11055 Incontinence coating (seat only) | ☐ E 11555 Seat/backrest connecting hinge |
| ☐ E 11430 Custom made thoracic pad | ☐ Swing away / ☐ Removable (plug-in) ☐ right ☐ left |

In accordance with the general terms and conditions we would like to order the following:

- ☐ E 11450 Riva two-piece system, custom made, with integrated thoracic pads and abduction block
- ☐ E 11450=S Riva seat, custom made, with integrated abduction block
- ☐ E 11450=R Riva back, custom made, with integrated thoracic pads

Aluminium frames

Charge no.:

- | | | |
|---|---|---|
| ☐ E 12100=0 Alu frame, size 0 | ☐ E 12010 Special colour | ☐ E 12400=1 Strengthening bar |
| ☐ E 12100=1 Alu frame, size 1 | ☐ E 12011 Screw set | ☐ E 15105=40 Frame fastening strap |
| ☐ E 12100=2 Alu frame, size 2 | ☐ E 12012 Trim band | ☐ E 67200 Alu sheet, 2 mm UOM: _____ |
| ☐ E 12100=3 Alu frame, size 3 (black only) | | ☐ E 67300 Alu sheet, 3 mm UOM: _____ |
| ☐ E 12101=2 Alu frame, size 2 strengthened, 3 mm | | ☐ E 67400 Alu sheet, 4 mm UOM: _____ |

*Colour

- ☐ black ☐ blue
- ☐ anthracite ☐ grey

*Delivery for first fitting

- ☐ Alu plates (thoracic support)
- ☐ Alu frame (unassembled)
- ☐ Accessories (belts, brackets etc.)

*Trimming alu frame

- ☐ before first fitting
- ☐ after first fitting

Seating cover

Fabric ☐ Art. no.: _____ (see our fabric catalogue!)

- | | |
|--|---|
| ☐ E 11517=R Cover for complex formed back | ☐ Double cover for complex formed back |
| ☐ E 11517=S Cover for complex formed seat | ☐ Double cover for complex formed seat |
| ☐ Press buttons | |
| ☐ E 11011 Zip fastener (surcharge) — Quantity: _____ | |
| ☐ E 11012 Circumferential zip fastener (surcharge) — Quantity: _____ | |
| ☐ E 11016 Belt slots with sewn-on patches (per piece) — Quantity: _____ | |

Lateral support bracket

- ☐ right ☐ left

Charge no.:

- | | |
|---|---|
| ☐ E 17200 Swing-away bracket, straight | ☐ 130 mm ☐ 200 mm |
| ☐ E 17210 Detachable bracket, width adjustable | |
| ☐ E 17220 Bracket, plugable | |
| ☐ E 17301 Swing-away bracket, width adjustable | ☐ small ☐ large |
| ☐ E 17310 Width and height adjustable (incl. assembly) | ☐ size 1 ☐ size 2 |
| ☐ E 17311 Assembly | ☐ E 17215 Cover |

Abduction block bracket

Charge no.:

- ☐ E 17100 Swing-down bracket
- ☐ E 17110 Plug-fit, screwable (insertion horizontal)
- ☐ E 17120 Bracket with angle (insertion vertical)
- ☐ E 17125 Slip-on bracket, with angle (insertion horizontal)
- ☐ E 17130 Swing-down bracket, mini
- ☐ E 17010 Assembly ☐ E 17015 Cover ☐ E 17015 K Cover, complex

Headrest (hardware)

Headrest

- ☐ E 13100=1 Combi
- ☐ E 13300 Lateral, narrow
- ☐ E 13600=1 Standard, small
- ☐ E 13600=2 Standard, large
- ☐ E 13900=1 Individual (complex)
- ☐ E 13008 Padded, size 1
- ☐ E 13009 Padded, size 2

Charge no.:

Hardware


- ☐ E 13010 straight (incl. accessories)
- ☐ E 13011 offset (incl. accessories)
- ☐ E 13013=1 Mounting kit, mini 10 mm
- ☐ E 13013=2 Mounting kit, 15 mm
- ☐ E 13016 straight, cross adjustment
- ☐ E 13017 offset, cross adjustment
- ☐ E 13620 Headrest adapter base plate
(mandatory field for E13008/E13009)

Charge no.:

Headrest Cover

- ☐ E 13015-800 Individual (simple)
- ☐ E 13015-900 Individual (complex)
- ☐ E 13015-10 simple (MDR compliant)

Measurements (foam) – individual headrest



Chest straps

Charge no.:

- ☐ E 15300 Chestshoulder harness ☐ E 15302 strengthened ☐ Custom-made according to drawing
(Complete hand sketch (p. 8) and requirements)
- ☐ 0 mini ☐ R=1 small, with zip
- ☐ 1 small ☐ R=2 medium, with zip
- ☐ 2 medium ☐ R=3 large, with zip
- ☐ 3 large ☐ R=4 extra large, with zip
- ☐ 4 extra large
- ☐ E 15301 W=2 medium, female ☐ E 15301 RW=2 medium, female, with zip
- ☐ E 15301 W=3 large, female ☐ E 15301 RW=3 large, female, with zip
- ☐ E 15301 W=4 extra large, female ☐ E 15301 RW=4 extra large, female, with zip
- ☐ E 15310 Shoulder retraction pad ☐ L ☐ R ☐ R+L
- ☐ E 15350 Dynamic thoracic belt ☐ Gr. 1 ☐ Gr. 2 ☐ Gr. 3
- ☐ E 15304 Dynamic thoracic H-Belt ☐ Gr. 0 ☐ Gr. 1 ☐ Gr. 2 ☐ Gr. 3
- ☐ E 12018 Belt elevation guide (p. piece) Quantity: _____
- ☐ E 13002 Cross bar belt guide ☐ black, 300 mm ☐ st. steel, 300 mm ☐ st. steel, 380 mm

Armrest (hardware)

Armrests (pair)

- ☐ E 14100 rounded
- ☐ E 14200 flat
- ☐ E 14210 flat, channel form
- ☐ E 14250 flat, narrow
- ☐ E 14300 Anatomic, with intergrated hand pad ☐ small ☐ large ☐ right ☐ left
- ☐ Custom-made according to drawing ☐ E 14 401 ☐ E 14 402 ☐ R ☐ E 14 403 ☐ R
- (Complete hand sketch (p. 8) and requirements) ☐ L ☐ L
- ☐ E 14015 Armrest cover ☐ E 14015 K Armrest cover, complex

Charge no.:

Gel Armrests (pair)

- ☐ E 22100 Gel armrest ☐ size 1 ☐ size 2
- ☐ E 22200 Gel armrest, narrow ☐ size 0 ☐ size 1 ☐ size 2
- ☐ E 22010 Mounting rail ☐ 215 mm ☐ 300 mm

Armrest hardware (pair)

- ☐ E 14010R Plate, right
- ☐ E 14010L Plate, left ☐ E 14040 Swing-away, with coned joint ☐ right ☐ left
- ☐ E 14011 flat, with accessories ☐ E 14050 with coned joint, mini
- ☐ E 14020 T-Form ☐ E 14060 T-Form, mini
- ☐ E 14030=300 Bracket, angle adjustable, coned joint, 300 mm ☐ right ☐ left
- ☐ E 14070=300 Bracket, coned joint, 300 mm ☐ right ☐ left

Charge no.:

Pelvic retraction pads

- ☐ E 15610 Pelvic retraction pads
- ☐ size 0 mini (SB 12-20 cm)
- ☐ size 0 (SB 16-24 cm)
- ☐ size 1 (SB 20-32 cm)
- ☐ size 2 (SB 30-40 cm)
- ☐ size 3 (SB 36-46 cm)

Charge no.:

Pelvic harness

- ☐ E 15500 Pelvic harness ☐ size 1 ☐ size 2 ☐ size 3 ☐ size 4 ☐ size 5 ☐ size 6
- ☐ E 15501 Pelvic harness, T-Model ☐ size 1 ☐ size 2 ☐ size 3
- ☐ E 15502 Pelvic harness, combi, T-Model ☐ size 1 ☐ size 2 ☐ size 3
- ☐ Custom-made according to drawing
- (Complete hand sketch (p. 8) and requirements)

Charge no.:

Footplates, PVC

☐ E 41100 with straps	☐ 1= 17 x 6 cm
☐ E 41200 without straps	☐ 2= 19 x 7 cm
	☐ 3=22 x 8 cm
Charge no.:	☐ 4= 24 x 9 cm


Footplates, Aluminium

☐ E 41210 with straps	☐ 1= 20 x 7 cm
☐ E 41220 without straps	☐ 2= 26 x 9 cm
	☐ 3= 30 x 12 cm
Charge no.:	

Neoprene Ankle Straps

☐ E 41400 Neoprene Ankle Straps, strengthened	☐ = 1 small	Charge no.:
	☐ = 2 medium	
	☐ = 3 large	




Measurement Chart



	actual	reqd.		actual	reqd.		actual	reqd.
A= Seat width			F= Height seat-arpit			K= Foot length		
B= Chest width			G= Height seat-shoulder			L= Depth of chest		
C= Seat depth			H= Height seat-top of head			M= Seat-back-angle		
D= Shoulder width			I= Lower leg length			Knee angle		
E= Armrest height			J= Width of system			Chest circumference		

System height:

System width:



The following changes should be made after the trial fitting from:
(Date/Name) _____ / _____

Back height (+/- cm): _____

Seat depth left (+/- cm): _____

Seat depth right (+/- cm): _____

Chest width (+/- cm): _____

Thigh guide left (+/- cm): _____

Thigh guide right (+/- cm): _____

Armpit height left (+/- cm): _____

Armpit height right (+/- cm): _____

Lateral support left (+/- cm): _____

Lateral support right (+/- cm): _____

Which accessories should be mounted for the next fitting:

Seat-to-backrest angle: _____

Space for your notes

Hand Sketches and Requirements

For individual armrests, the following information is required:

Core material: ☐ = Wooden core / ☐ = Aluminium core 3 mm

Threaded inserts: ☐ = M5 / ☐ = M6

Supply screws: ☐ = Yes / ☐ = No Quantity: _____

Cover fabric, Art. no.: _____

Please indicate the following in the hand sketch:

- Hole spacing
- Foam profile thickness
- Dimensions (L x W x H)

Direct contact: _____

Phone: _____

Space for sketches